


AQUAWORLD


VORTEX SERIES



Pompgevoed - Par pompage - Pumpversion - Pump-fed



Gravity - Par gravité - Gravitation - Gravity



Pristinia 4 Economy



1	2	3	4
VORTEX	BORSTELS BROSSES BÜRSTEN BRUSHES	JAPANSE MATTEN TAPIS JAPONAIS JAPANMATTE JAPANESE FILTER MATS	FLOCOR + SCHUIMMATTEN FLOCOR + MOUSSES FLOCOR + SCHAUMMATTEN FLOCOR + FOAM

LENGTE × BREEDTE × HOOGTE LONGUEUR × LARGEUR × HAUTEUR LÄNGE × BREITE × HÖHE LENGTH × WIDTH × HEIGHT	160 x 63 x 73 cm	
VIJVERS TOT BASSINS JUSQU'À TEICHE BIS PONDS UNTIL	20 000 L <i>vissen - poissons</i> <i>Fische - fish</i>	30 000 L <i>planten - plantes</i> <i>Pflanzen - plants</i>
AANBEVOLEN POMPCAPACITEIT CAPACITÉ DE POMPAGE RECOMMANDÉE EMPFOHLEN PUMPENLEISTUNG ADVISED PUMP CAPACITY	9 000 L / 60min.	
AANBEVOLEN UV-FILTER FILTRE UV RECOMMANDÉ EMPFOHLEN UV-FILTER ADVISED UV FILTER	30 W <i>vissen - poissons</i> <i>Fische - fish</i>	55 W <i>planten - plantes</i> <i>Pflanzen - plants</i>
POMPGEVOED PAR POMPAGE PUMPVERSION PUMP-FED	50 mm <i>ingang - entrée</i> <i>Eingang - entry</i>	110 mm <i>uitgang - sortie</i> <i>Ausgang - exit</i>
GRAVITY PAR GRAVITÉ GRAVITATION GRAVITY	-	-

Pristinia 5 Economy



1	2	3	4	5
VORTEX	BORSTELS BROSSES BÜRSTEN BRUSHES	BIOBALLS	JAPANESE MATTEN TAPIS JAPONAIS JAPANMATTE JAPANESE FILTER MATS	FLOCOR + SCHUIMMATTEN FLOCOR + MOUSSES FLOCOR + SCHAUMMATTEN FLOCOR + FOAM

LENGTE × BREEDTE × HOOGTE LONGUEUR × LARGEUR × HAUTEUR LÄNGE × BREITE × HÖHE LENGTH × WIDTH × HEIGHT	190 x 63 x 73 cm	
VIJVERS TOT BASSINS JUSQU'À TEICHE BIS PONDS UNTIL	25 000 L <i>vissen - poissons</i> <i>Fische - fish</i>	40 000 L <i>planten - plantes</i> <i>Pflanzen - plants</i>
AANBEVOLEN POMPCAPACITEIT CAPACITÉ DE POMPAGE RECOMMANDÉE EMPFOHLEN PUMPENLEISTUNG ADVISED PUMP CAPACITY	11 000 L / 60min.	
AANBEVOLEN UV-FILTER FILTRE UV RECOMMANDÉ EMPFOHLEN UV-FILTER ADVISED UV FILTER	30 W <i>vissen - poissons</i> <i>Fische - fish</i>	55 W <i>planten - plantes</i> <i>Pflanzen - plants</i>
POMPGEVOED PAR POMPAGE PUMPVERSION PUMP-FED	50 mm <i>ingang - entrée</i> <i>Eingang - entry</i>	110 mm <i>uitgang - sortie</i> <i>Ausgang - exit</i>
GRAVITY PAR GRAVITÉ GRAVITATION GRAVITY	110 mm <i>ingang - entrée</i> <i>Eingang - entry</i>	50 mm <i>uitgang - sortie</i> <i>Ausgang - exit</i>

Pristinia 6 Economy



1	2	3	4	5	6
VORTEX	BORSTELS BRUSSES BÜRSTEN BRUSHES	BIOBALLS	JAPANESE MATTEN TAPIS JAPONAIS JAPANMATTE JAPANESE FILTER MATS	JAPANESE MATTEN TAPIS JAPONAIS JAPANMATTE JAPANESE FILTER MATS	FLOCOR + SCHUIMMATTEN FLOCOR + MOUSSES FLOCOR + SCHAUMMATTEN FLOCOR + FOAM

LENGTE × BREEDTE × HOOGTE LONGUEUR × LARGEUR × HAUTEUR LÄNGE × BREITE × HÖHE LENGTH × WIDTH × HEIGHT	220 x 63 x 73 cm	
VIJVERS TOT BASSINS JUSQU'À TEICHE BIS PONDS UNTIL	30 000 L <i>vissen - poissons</i> <i>Fische - fish</i>	50 000 L <i>planten - plantes</i> <i>Pflanzen - plants</i>
AANBEVOLEN POMPCAPACITEIT CAPACITÉ DE POMPAGE RECOMMANDÉE EMPFOHLEN PUMPENLEISTUNG ADVISED PUMP CAPACITY	15 000 L / 60min.	
AANBEVOLEN UV-FILTER FILTRE UV RECOMMANDÉ EMPFOHLEN UV-FILTER ADVISED UV FILTER	55 W <i>vissen - poissons</i> <i>Fische - fish</i>	55 W <i>planten - plantes</i> <i>Pflanzen - plants</i>
POMPGEVOED PAR POMPAGE PUMPVERSION PUMP-FED	50 mm <i>ingang - entrée</i> <i>Eingang - entry</i>	110 mm <i>uitgang - sortie</i> <i>Ausgang - exit</i>
GRAVITY PAR GRAVITÉ GRAVITATION GRAVITY	-	-

RDS



Micromodule



Nyara



Apal



MODEL	↕	Ø	In	Out	VOOR/POUR/VOR/FOR
APAL	115 cm	78 cm	110 mm	110 mm	ESKADA
NYARA	150 cm	105 cm	160 mm	110 mm	PSYTADEL

Pristinia 4 XL Upflow + RDS



1	2	3	4
RDS + BORSTELS RDS + BRUSSES RDS + BÜRSTEN RDS + BRUSHES	JAPANESE MATTEN TAPIS JAPONAIS JAPANMATTE JAPANESE FILTER MATS	JAPANESE MATTEN TAPIS JAPONAIS JAPANMATTE JAPANESE FILTER MATS	JAPANESE MATTEN + SCHUIMMATTEN TAPIS JAPONAIS + MOUSSES JAPANMATTE + SCHAUMMATTEN JAPANESE FILTER MATS + FOAM

LENGTE × BREEDTE × HOOGTE LONGUEUR × LARGEUR × HAUTEUR LÄNGE × BREITE × HÖHE LENGTH × WIDTH × HEIGHT	160 x 63 x 73 cm	
VIJVERS TOT BASSINS JUSQU'À TEICHE BIS PONDS UNTIL	25 000 L <i>vissen - poissons</i> <i>Fische - fish</i>	35 000 L <i>planten - plantes</i> <i>Pflanzen - plants</i>
AANBEVOLEN POMPCAPACITEIT CAPACITÉ DE POMPAGE RECOMMANDÉE EMPFOHLEN PUMPENLEISTUNG ADVISED PUMP CAPACITY	11 000 L / 60min.	
AANBEVOLEN UV-FILTER FILTRE UV RECOMMANDÉ EMPFOHLEN UV-FILTER ADVISED UV FILTER	30 W <i>vissen - poissons</i> <i>Fische - fish</i>	55 W <i>planten - plantes</i> <i>Pflanzen - plants</i>
POMPGEVOED PAR POMPAGE PUMPVERSION PUMP-FED	50 mm <i>ingang - entrée</i> <i>Eingang - entry</i>	110 mm <i>uitgang - sortie</i> <i>Ausgang - exit</i>
GRAVITY PAR GRAVITÉ GRAVITATION GRAVITY	110 mm <i>ingang - entrée</i> <i>Eingang - entry</i>	50 mm <i>uitgang - sortie</i> <i>Ausgang - exit</i>

Pristinia 5 XL Upflow + RDS



1	2	3	4	5
RDS + BORSTELS RDS + BROSSES RDS + BÜRSTEN RDS + BRUSHES	JAPANESE MATTEN TAPIS JAPONAIS JAPANMATTE JAPANESE FILTER MATS	JAPANESE MATTEN TAPIS JAPONAIS JAPANMATTE JAPANESE FILTER MATS	JAPANESE MATTEN TAPIS JAPONAIS JAPANMATTE JAPANESE FILTER MATS	JAPANESE MATTEN + SCHUIMMATTEN TAPIS JAPONAIS + MOUSSES JAPANMATTE + SCHAUMMATTEN JAPANESE FILTER MATS + FOAM

LENGTE × BREEDTE × HOOGTE LONGUEUR × LARGEUR × HAUTEUR LÄNGE × BREITE × HÖHE LENGTH × WIDTH × HEIGHT	190 x 63 x 73 cm	
VIJVERS TOT BASSINS JUSQU'À TEICHE BIS PONDS UNTIL	30 000 L <i>vissen - poissons</i> <i>Fische - fish</i>	50 000 L <i>planten - plantes</i> <i>Pflanzen - plants</i>
AANBEVOLEN POMPCAPACITEIT CAPACITÉ DE POMPAGE RECOMMANDÉE EMPFOHLEN PUMPENLEISTUNG ADVISED PUMP CAPACITY	15 000 L / 60min.	
AANBEVOLEN UV-FILTER FILTRE UV RECOMMANDÉ EMPFOHLEN UV-FILTER ADVISED UV FILTER	55 W <i>vissen - poissons</i> <i>Fische - fish</i>	55 W <i>planten - plantes</i> <i>Pflanzen - plants</i>
POMPGEVOED PAR POMPAGE PUMPVERSION PUMP-FED	50 mm <i>ingang - entrée</i> <i>Eingang - entry</i>	110 mm <i>uitgang - sortie</i> <i>Ausgang - exit</i>
GRAVITY PAR GRAVITÉ GRAVITATION GRAVITY	110 mm <i>ingang - entrée</i> <i>Eingang - entryw</i>	50 mm <i>uitgang - sortie</i> <i>Ausgang - exit</i>

Pristinia 6 XL Upflow + RDS



1	2	3	4	5	6
RDS + BORSTELS	JAPANESE MATTEN	JAPANESE MATTEN	JAPANESE MATTEN	JAPANESE MATTEN	JAPANESE MATTEN + SCHUIMMATTEN
RDS + BROSSES	TAPIS JAPONAIS	TAPIS JAPONAIS	TAPIS JAPONAIS	TAPIS JAPONAIS	TAPIS JAPONAIS + MOUSSES
RDS + BÜRSTEN	JAPANMATTE	JAPANMATTE	JAPANMATTE	JAPANMATTE	JAPANMATTE + SCHAUMMATTEN
RDS + BRUSHES	JAPANESE FILTER MATS	JAPANESE FILTER MATS	JAPANESE FILTER MATS	JAPANESE FILTER MATS	JAPANESE FILTER MATS + FOAM

LENGTE × BREEDTE × HOOGTE LONGUEUR × LARGEUR × HAUTEUR LÄNGE × BREITE × HÖHE LENGTH × WIDTH × HEIGHT	220 x 63 x 73 cm	
VIJVERS TOT BASSINS JUSQU'À TEICHE BIS PONDS UNTIL	35 000 L <i>vissen - poissons</i> <i>Fische - fish</i>	60 000 L <i>planten - plantes</i> <i>Pflanzen - plants</i>
AANBEVOLEN POMPCAPACITEIT CAPACITÉ DE POMPAGE RECOMMANDÉE EMPFOHLEN PUMPENLEISTUNG ADVISED PUMP CAPACITY	15 000 L / 60min.	
AANBEVOLEN UV-FILTER FILTRE UV RECOMMANDÉ EMPFOHLEN UV-FILTER ADVISED UV FILTER	110 W <i>vissen - poissons</i> <i>Fische - fish</i>	55 W <i>planten - plantes</i> <i>Pflanzen - plants</i>
POMPGEVOED PAR POMPAGE PUMPVERSION PUMP-FED	50 mm <i>ingang - entrée</i> <i>Eingang - entry</i>	110 mm <i>uitgang - sortie</i> <i>Ausgang - exit</i>
GRAVITY PAR GRAVITÉ GRAVITATION GRAVITY	110 mm <i>ingang - entrée</i> <i>Eingang - entry</i>	50 mm <i>uitgang - sortie</i> <i>Ausgang - exit</i>

Natsara 4 XL Upflow + RDS



1	2	3	4
RDS + BORSTELS RDS + BROSSES RDS + BÜRSTEN RDS + BRUSHES	JAPANESE MATTEN TAPIS JAPONAIS JAPANMATTE JAPANESE FILTER MATS	JAPANESE MATTEN TAPIS JAPONAIS JAPANMATTE JAPANESE FILTER MATS	JAPANESE MATTEN + SCHUIMMATTEN TAPIS JAPONAIS + MOUSSES JAPANMATTE + SCHAUMMATTEN JAPANESE FILTER MATS + FOAM

LENGTE × BREEDTE × HOOGTE LONGUEUR × LARGEUR × HAUTEUR LÄNGE × BREITE × HÖHE LENGTH × WIDTH × HEIGHT	260 x 75 x 110 cm	
VIJVERS TOT BASSINS JUSQU'À TEICHE BIS PONDS UNTIL	55 000 L <i>vissen - poissons</i> <i>Fische - fish</i>	110 000 L <i>planten - plantes</i> <i>Pflanzen - plants</i>
AANBEVOLEN POMPCAPACITEIT CAPACITÉ DE POMPAGE RECOMMANDÉE EMPFOHLEN PUMPENLEISTUNG ADVISED PUMP CAPACITY	25 000 L / 60min.	
AANBEVOLEN UV-FILTER FILTRE UV RECOMMANDÉ EMPFOHLEN UV-FILTER ADVISED UV FILTER	110 W <i>vissen - poissons</i> <i>Fische - fish</i>	110 W <i>planten - plantes</i> <i>Pflanzen - plants</i>
POMPGEVOED PAR POMPAGE PUMPVERSION PUMP-FED	50 mm <i>ingang - entrée</i> <i>Eingang - entry</i>	110 mm <i>uitgang - sortie</i> <i>Ausgang - exit</i>
GRAVITY PAR GRAVITÉ GRAVITATION GRAVITY	110 mm <i>ingang - entrée</i> <i>Eingang - entry</i>	50 mm <i>uitgang - sortie</i> <i>Ausgang - exit</i>

Natsara 5 XL Upflow + RDS



1	2	3	4	5
RDS + BORSTELS RDS + BROSSES RDS + BÜRSTEN RDS + BRUSHES	JAPANESE MATTEN TAPIS JAPONAIS JAPANMATTE JAPANESE FILTER MATS	JAPANESE MATTEN TAPIS JAPONAIS JAPANMATTE JAPANESE FILTER MATS	JAPANESE MATTEN TAPIS JAPONAIS JAPANMATTE JAPANESE FILTER MATS	JAPANESE MATTEN + SCHUIMMATTEN TAPIS JAPONAIS + MOUSSES JAPANMATTE + SCHAUMMATTEN JAPANESE FILTER MATS + FOAM

LENGTE × BREEDTE × HOOGTE LONGUEUR × LARGEUR × HAUTEUR LÄNGE × BREITE × HÖHE LENGTH × WIDTH × HEIGHT	330 x 75 x 110 cm	
VIJVERS TOT BASSINS JUSQU'À TEICHE BIS PONDS UNTIL	60 000 L <i>vissen - poissons</i> <i>Fische - fish</i>	120 000 L <i>planten - plantes</i> <i>Pflanzen - plants</i>
AANBEVOLEN POMPCAPACITEIT CAPACITÉ DE POMPAGE RECOMMANDÉE EMPFOHLEN PUMPENLEISTUNG ADVISED PUMP CAPACITY	30 000 L / 60min.	
AANBEVOLEN UV-FILTER FILTRE UV RECOMMANDÉ EMPFOHLEN UV-FILTER ADVISED UV FILTER	110 W <i>vissen - poissons</i> <i>Fische - fish</i>	110 W <i>planten - plantes</i> <i>Pflanzen - plants</i>
POMPGEVOED PAR POMPAGE PUMPVERSION PUMP-FED	50 mm <i>ingang - entrée</i> <i>Eingang - entry</i>	110 mm <i>uitgang - sortie</i> <i>Ausgang - exit</i>
GRAVITY PAR GRAVITÉ GRAVITATION GRAVITY	110 mm <i>ingang - entrée</i> <i>Eingang - entry</i>	50 mm <i>uitgang - sortie</i> <i>Ausgang - exit</i>



WWW.AQUAWORLD.EU

INFO@AQUAWORLD.EU

TEL. 050 24 19 39

FAX. 050 24 19 17